EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	migrat$4 near10 (process thread$1) near10 different near10 processor$1 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		OFF	2008/03/19 16:19
S1	3	"20010043610"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 11:27
S2	2	"20020083173"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:55
S3	2	"20030069920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 15:18
S4	2	"6195680".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:55
S5	103	load adj balanc$4 near10 rout$4 near10 processor $4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 15:35
S6	75	load adj balanc$4 near10 rout$4 near10 processor $4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 15:51
S7	9	load adj balanc$4 near10 context$4 near10 processor$4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 15:52
S8	4	load adj balanc$4 same context$4 near10 processor$4 and @ad<"20030924" and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 15:54

S9	36	thread$4 same context$4 near10 processor$4 and @ad<"20030924" and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 15:54
S10	63	migrat$4 near10 processor $1 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 18:12
S11	0	@ad<"20030924" and migrat$4 near10 code$1 near10 feature near5 set $1 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 22:01
S12	2	"5872919".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:49
S13	2	reconfig$4 near10 (processor$1) near10 (feature$4 function$1) near10 packet$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:51
S14	79	(adapt$4 reconfig$4) near10 (processor$1) near10 (feature$4 function $1) near10 packet$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:51
S15	34	(adapt$4 reconfig$4) near10 (processor$1) near10 (feature$4 function $1) near10 packet$4 and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:52
S16	31	(adapt$4 reconfig$4) near10 (processor$1) near10 (feature$4 function $1) near10 packet$4 and "709".clas. and @ad<20030924'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:52
S17	31	(adapt$4 reconfig$4) near10 (processor$1) near10 (feature$4 function $1) near10 packet$4 and "709".clas. and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:58
S18	0	(code adj partition$4) near10 (processor$1) near10 (feature$4 function $1) near10 packet$4 and "709".clas. and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:58

S19	0	(code adj partition$4) near10 (processor$1) near10 packet$4 and "709".clas. and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:58
S20	0	(code adj partition$4) near10 (processor$1) near10 packet$4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:59
S21	0	(code adj partition$4) near10 router$4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:59
S22	13	(code near5 partition$4) near10 router$4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:00
S23	2719	(partition$4) near10 processor$4 and (switch $4 router$1) and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:01
S24	378	(partition$4) near10 processor$4 same (switch $4 router$1) and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:01
S25	56	(code$1 instruction$1 program$1) near10 (partition$4) near10 processor$4 same (switch $4 router$1) and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:03
S26	1	(code$1 instruction$1 program$1) near10 (partition$4) near10 processor$4 same (switch $4 router$1) and @ad<"20030924" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:02
S27	4	(code$1 instruction$1 program$1) near10 (partition$4) near10 processor$4 same (switch $4 router$1) and @ad<"20030924" and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:02

S28	16	(code$1 instruction$1 program$1) near10 (partition$4) near10 processor$4 same (router $1) and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:05
S29	3	packet$1 near10 function $4 near10 processor$1 same router$4 and migrat $6 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:05
S30	21	("5872919").URPN.	USPAT	OR	OFF	2007/09/25 10:11
S31	10	(re adj config$6 reconfig $6) near10 processor$4 near10 packet$4 same (function$1 feature$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:32
S32	21	"6496935"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:27
S33	2	"20030108041"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:27
S34	76	processor$4 near10 router $4 near10 layer$4 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:28
S35	1	separate$4 near10 processor$4 near10 router $4 near10 layer$4 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:28
S36	21	(re adj config$6 reconfig $6) near10 (module$4 processor$4) near10 packet$4 same (function $1 feature$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:33
S37	13	(re adj config$6 reconfig $6) near10 (module$4) near10 packet$4 same (function$1 feature$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:33
S38	1	"US 7340535"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/03/18 11:10

S39	2	"5872919".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:12
S40	53	(code$1 program$1) near10 partition$1 near10 plural$4 near10 processor $4 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:22
S41	48	(instruction$4) near10 partition$1 near10 plural $4 near10 processor$4 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:31
S42	36	(instruction$4) near10 partition$1 near10 plural $4 near10 processor$4 and @ad< "20030924" not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:31
S43	16	(instruction$4) near10 code$1 near10 plural$4 near10 processor$4 same load$1 and @ad< "20030924" not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:32
S44	0	load near5 balanc$4 same (instruction$4) near10 code$1 near10 plural$4 near10 processor$4 and @ad< "20030924" not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:34
S45	0	load near5 balanc$4 same (instruction$4) near10 code$1 near10 plural$4 near10 processor$4 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:34
S46	12	load near5 balanc$4 and (instruction$4) near10 code$1 near10 plural$4 near10 processor$4 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:34
S47	0	load$3 near5 (instruction $4 code$1) near10 plural $4 near10 processor$4 same router$1 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/03/18 11:38
S48	294	load$3 near5 (instruction $4 code$1) near10 plural $4 near10 processor$4 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:38

S49	0	load$3 near5 (instruction $4 code$1) near10 plural $4 near10 processor$4 same migrat$4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:38
S50	12	load$3 near5 (instruction $4 code$1) near10 plural $4 near10 processor$4 and migrat$4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:39
S51	3	(instruction$4 code$1) near10 partition$4 near10 plural$4 near10 processor $4 near10 load$4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:45
S52	41	(instruction$4 code$1) near10 (set$1 partition$4) near10 plural$4 near10 processor$4 near10 load $4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 11:45
S53	2	"20050223199"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 12:22
S54	5	712/228.ccls. and load $4 near10 thread$4 near10 plural$4 near10 processor$1 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 12:28
S55	28	712/228.ccls. and multithread$4 near10 plural$4 near10 processor $1 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 12:29
S56	9	712/228.ccls. and multithread$4 near10 assign$4 near10 thread$1 near10 processor$1 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 12:46
S57	0	712/228.ccls. and microcode$1 near10 assign $4 near10 thread$1 near10 processor$1 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 12:47
S58	0	microcode$1 near10 assign $4 near10 thread$1 near10 processor$1 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 12:47

S59	2	microcode$1 same assign$4 near10 thread$1 near10 processor$1 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 12:47
S60	2	"20020083173"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 13:58
S61	3	"20010043610"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 14:00
S62	2	"20030069920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 14:01
S63	562297	migrat$4 near10 thread$4 near10 different near10 processor$1 neaer10 context$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 09:53
S64	0	migrat$4 near10 thread$4 near10 different near10 processor$1 near10 context$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 09:53
S65	2	migrat$4 near10 thread$4 near10 processor$1 near10 context$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 09:53
S66	3	migrat$4 near10 processor$1 near10 context$1 near10 memor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 09:54
S67	42	migrat$4 near10 processor$1 near10 shar$4 near10 memor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 09:57
S68	15	migrat$4 near10 processor$1 near10 shar$4 near10 memor$4 and @ad<"20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 09:57

S69	5	migrat$4 near10 multiprocess$5 near10 shar$4 near10 memor$4 and @ad< "20030924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 10:00

3/19/08 4:33:52 PM
C:\ Documents and Settings\ JAvellino\ My Documents\ EAST\ Workspaces\ 10\ 669624.wsp